

# Exhibit S

# Rentokil

The Experts in Pest Control

MEMPHIS PEST, 2175 BUSINESS CENTER DRIVE STE 3,  
MEMPHIS, TN, 38134562803  
(901) 797-87850000  
9017979522

Client:

REDACTED

FAMILY DOLLAR DISTRIBUTION  
500 VOLVO PKWY  
CHESAPEAKE VA 23320-1604

Summary of Service

Location:

REDACTED


FAMILY DOLLAR DISTRIBUTION  
1800 FAMILY DOLLAR PKWY  
WEST MEMPHIS AR, WO 062558278 schdDate  
2022005 /2301-2974  
(870) 702-58783046

Time In: 12-23-2021 12:35:16

Time Out: 12-23-2021 14:32:02



12-23-2021 14:19:58  
Bruce Learned



12-23-2021 14:20:03  
With thanks, GEORGE LAMANNA

## License/Certifications:

1-LH396-0006A, 2-LH396-0006A, 3-LH396-0006A, 4-LH396-0006A

Order # / Invoice	Status	Service Date	Service Description	Visit Type
068924609 / 000	Completed	12-23-2021	COMMERCIAL PEST GENERAL MAINTENANCE SERVICE	SERVICE EXTRA MAINTENANCE

## Recommendations

Area/Device	Recommendation	Severity	Status	Date
Warehouse Insp	Stacked product in area preventing adequate inspection. Please provide 12-18 inches of space between pallets and from product to wall to allow for inspection.	High	PENDING	12-03-2021
Interior	Stacked product in area preventing adequate inspection. Please provide 12-18 inches of space between pallets and from product to wall to allow for inspection.	High	NEW	12-03-2021
Aisle 24	Stacked product in area preventing adequate inspection. Please provide 12-18 inches of space between pallets and from product to wall to allow for inspection.	Low	PENDING	11-29-2021
Aisle 52	An accumulation of food product from damaged goods noted. Please remove food product to prevent attraction by pests.	High	NEW	11-26-2021
Exterior Insp	Water leak/standing water inside. Please remove water and repair leak to prevent unsanitary conditions and attraction by pests.	Medium	NEW	11-22-2021
Aisle 39	Stacked product in area preventing adequate inspection. Please provide 12-18 inches of space between pallets and from product to wall to allow for inspection.	Low	NEW	10-01-2021

## Pest Summary

Location	Activity	Quantity	Comments

Aisle 43      Roof rats      Actual Count - 7

#### Device Summary

Type	With Activity	Without Activity	Unserviceable	Total Inspected
Inspection Point	1	3	0	4

#### Material Application Summary

Material Applied	EPA#	Dilution (%)	Concentrate Applied	Quantity	UOM	Application Method
De-Mize Rodenticide Soft Bait	93062-2-295150	0.005	150	150	gram	Containerized Station

**Targeted Pests:** Rodents, Roof rats  
**Area/Device of Application:** Aisle 43  
**Equipment Used:** Hand  
**Active Ingredient(s):** Brodifacoum

#### Totals

Material Applied	EPA#	Quantity	UOM
De-Mize Rodenticide Soft Bait	93062-2-295150	150	gram

#### General Comments:

Made contact with Bruce. Bruce reported high activity of roof rats on aisle 43. Around 20 roof rats were seen running the racks and pallets. De-mize was placed on all 4 levels of racks including the pallets. Will be back Tuesday to perform weekly service. Thank you for your business.